

ANALYTICAL REPORT

Eurofins Environment Testing Philadelphia, LLC
213 Witmer Road
Horsham, PA 19044-0962
Tel: (215)355-3900

Laboratory Job ID: 630-37707-1

Client Project/Site: Montague Elementary - BOE Lead/Copper

For:
MONTAGUE ELEMENTARY SCHOOL
475 ROUTE 206 NORTH
MONTAGUE, New Jersey 07827

Attn: WILLIAM GRENNILLE

Michelle Horowitz

Authorized for release by:
7/11/2022 6:07:56 AM

Michelle Horowitz, Project Manager
(215)355-3900

Michelle.Horowitz@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments. QC data that exceed the upper limits and are associated with non-detect samples are qualified but no further narration is needed since the bias is high and does not change a non-detect result. Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Coliform MCLs

· Based on the EPA primary drinking water standard MCL for total coliforms, a water supply is considered bacteriologically "SAFE" if no coliform bacteria are detected. To be considered "SAFE" your report should indicate "<1 cfu/100mL" or "NEG" for the coliform test. If you report indicates a positive result "POS" or a value greater than or equal to one, then your supply is "UNSAFE FOR DRINKING" contact your local health department.

Warranties, Terms, and Conditions

· Analyses for Field Parameters are performed by EQC field staff. Locations and certifications are identified on the Chain of Custody as follows:

ERF = field staff performs tests under NJ State certification #02015

VL = field staff performs tests under NJ State certification #06005

WG = field staff performs tests under NJ State certification #PA001

H = field staff performs tests under NJ NELAP certification #PA093, PA NELAP certification # 46-

05499

· Test results meet all TNI or other applicable regulatory agency requirements, including holding times and preservation, unless otherwise indicated.

· The report shall not be reproduced, except in full, without the written consent of the laboratory

· All samples are collected as "grab" samples unless otherwise identified.

· Reported results related only to the samples as tested. EQC is not responsible for sample integrity unless sampling has been performed by a member of our staff.

· EQC is not responsible for sampling and/or testing omissions. Note that regulatory authorities may assess substantial fines for testing omissions. Please track your sample collection schedules and results on a regular basis (e.g. weekly, monthly, or quarterly) to ensure compliance.

· Eurofins' online data portal "TotalAccess" will provide you with real-time access to collection dates and testing results. Please contact Client Services for further information.

· The following personnel or their deputies have approved the results of the tests performed by EQC: Nicki Smith (Environmental Chemistry) and Jacqueline Gartner (Water Microbiology).

Michelle Horowitz

Michelle Horowitz
Project Manager
7/11/2022 6:07:56 AM

Case Narrative

Client: MONTAGUE ELEMENTARY SCHOOL
Project/Site: Montague Elementary - BOE Lead/Copper

Job ID: 630-37707-1

Job ID: 630-37707-1

Laboratory: Eurofins Environment Testing Philadelphia, LLC

Narrative

Job Narrative
630-37707-1

Receipt

The samples were received on 6/27/2022 2:44 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 22.4°C

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Sample Summary

Client: MONTAGUE ELEMENTARY SCHOOL
Project/Site: Montague Elementary - BOE Lead/Copper

Job ID: 630-37707-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
630-37707-1	MAINTENANCE OFFICE	Drinking Water	06/27/22 13:00	06/27/22 14:44
630-37707-2	KITCHEN SINK RIGHT	Drinking Water	06/27/22 13:05	06/27/22 14:44
630-37707-3	KITCHEN SINK LEFT	Drinking Water	06/27/22 13:06	06/27/22 14:44
630-37707-4	BUBBLER (BY MAINT)	Drinking Water	06/27/22 13:10	06/27/22 14:44
630-37707-5	JANITOR CLOSET	Drinking Water	06/27/22 13:15	06/27/22 14:44
630-37707-6	RT WATER COOLER	Drinking Water	06/27/22 13:19	06/27/22 14:44
630-37707-7	LFT WATER COOLER	Drinking Water	06/27/22 13:20	06/27/22 14:44
630-37707-8	RT BUBBLER (BY ROOM 114)	Drinking Water	06/27/22 13:25	06/27/22 14:44
630-37707-9	LEFT BUBBLER (BY ROOM 114)	Drinking Water	06/27/22 13:26	06/27/22 14:44
630-37707-10	NURSES OFFICE	Drinking Water	06/27/22 13:30	06/27/22 14:44
630-37707-11	ROOM 114	Drinking Water	06/27/22 13:35	06/27/22 14:44
630-37707-12	WATER COOLER (BY 114)	Drinking Water	06/27/22 13:40	06/27/22 14:44

Client Sample Results

Client: MONTAGUE ELEMENTARY SCHOOL
 Project/Site: Montague Elementary - BOE Lead/Copper

Job ID: 630-37707-1

Client Sample ID: MAINTENANCE OFFICE

Lab Sample ID: 630-37707-1

Date Collected: 06/27/22 13:00

Matrix: Drinking Water

Date Received: 06/27/22 14:44

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Copper	0.11		0.010	0.0023	mg/L		07/09/22 15:07	1	S4PD
Lead	ND		0.0010	0.00069	mg/L		07/09/22 15:07	1	S4PD

Client Sample ID: KITCHEN SINK RIGHT

Lab Sample ID: 630-37707-2

Date Collected: 06/27/22 13:05

Matrix: Drinking Water

Date Received: 06/27/22 14:44

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Copper	0.073		0.010	0.0023	mg/L		07/09/22 15:19	1	S4PD
Lead	0.00082	J	0.0010	0.00069	mg/L		07/09/22 15:19	1	S4PD

Client Sample ID: KITCHEN SINK LEFT

Lab Sample ID: 630-37707-3

Date Collected: 06/27/22 13:06

Matrix: Drinking Water

Date Received: 06/27/22 14:44

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Copper	0.056		0.010	0.0023	mg/L		07/09/22 17:54	1	S4PD
Lead	ND		0.0010	0.00069	mg/L		07/09/22 17:54	1	S4PD

Client Sample ID: BUBBLER (BY MAINT)

Lab Sample ID: 630-37707-4

Date Collected: 06/27/22 13:10

Matrix: Drinking Water

Date Received: 06/27/22 14:44

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Copper	0.053		0.010	0.0023	mg/L		07/09/22 17:51	1	S4PD
Lead	ND		0.0010	0.00069	mg/L		07/09/22 17:51	1	S4PD

Client Sample ID: JANITOR CLOSET

Lab Sample ID: 630-37707-5

Date Collected: 06/27/22 13:15

Matrix: Drinking Water

Date Received: 06/27/22 14:44

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Copper	0.13		0.010	0.0023	mg/L		07/09/22 13:34	1	S4PD
Lead	ND		0.0010	0.00069	mg/L		07/09/22 13:34	1	S4PD

Client Sample ID: RT WATER COOLER

Lab Sample ID: 630-37707-6

Date Collected: 06/27/22 13:19

Matrix: Drinking Water

Date Received: 06/27/22 14:44

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Copper	0.059		0.010	0.0023	mg/L		07/09/22 15:28	1	S4PD
Lead	ND		0.0010	0.00069	mg/L		07/09/22 15:28	1	S4PD

Client Sample Results

Client: MONTAGUE ELEMENTARY SCHOOL
 Project/Site: Montague Elementary - BOE Lead/Copper

Job ID: 630-37707-1

Client Sample ID: LFT WATER COOLER

Lab Sample ID: 630-37707-7

Date Collected: 06/27/22 13:20

Matrix: Drinking Water

Date Received: 06/27/22 14:44

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Copper	0.084		0.010	0.0023	mg/L		07/09/22 17:49	1	S4PD
Lead	0.0011		0.0010	0.00069	mg/L		07/09/22 17:49	1	S4PD

Client Sample ID: RT BUBBLER (BY ROOM 114)

Lab Sample ID: 630-37707-8

Date Collected: 06/27/22 13:25

Matrix: Drinking Water

Date Received: 06/27/22 14:44

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Copper	0.085		0.010	0.0023	mg/L		07/09/22 17:46	1	S4PD
Lead	ND		0.0010	0.00069	mg/L		07/09/22 17:46	1	S4PD

Client Sample ID: LEFT BUBBLER (BY ROOM 114)

Lab Sample ID: 630-37707-9

Date Collected: 06/27/22 13:26

Matrix: Drinking Water

Date Received: 06/27/22 14:44

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Copper	0.18		0.010	0.0023	mg/L		07/09/22 13:24	1	S4PD
Lead	ND		0.0010	0.00069	mg/L		07/09/22 13:24	1	S4PD

Client Sample ID: NURSES OFFICE

Lab Sample ID: 630-37707-10

Date Collected: 06/27/22 13:30

Matrix: Drinking Water

Date Received: 06/27/22 14:44

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Copper	0.081		0.010	0.0023	mg/L		07/09/22 15:25	1	S4PD
Lead	ND		0.0010	0.00069	mg/L		07/09/22 15:25	1	S4PD

Client Sample ID: ROOM 114

Lab Sample ID: 630-37707-11

Date Collected: 06/27/22 13:35

Matrix: Drinking Water

Date Received: 06/27/22 14:44

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Copper	0.10		0.010	0.0023	mg/L		07/09/22 15:17	1	S4PD
Lead	ND		0.0010	0.00069	mg/L		07/09/22 15:17	1	S4PD

Client Sample ID: WATER COOLER (BY 114)

Lab Sample ID: 630-37707-12

Date Collected: 06/27/22 13:40

Matrix: Drinking Water

Date Received: 06/27/22 14:44

Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Copper	0.024		0.010	0.0023	mg/L		07/09/22 17:40	1	S4PD
Lead	ND		0.0010	0.00069	mg/L		07/09/22 17:40	1	S4PD

Action Limit Summary

Client: MONTAGUE ELEMENTARY SCHOOL
Project/Site: Montague Elementary - BOE Lead/Copper

Job ID: 630-37707-1

Client Sample ID: MAINTENANCE OFFICE

Lab Sample ID: 630-37707-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	NJ 1 MCL		RL	Method	Prep Type
				Limit				
Copper	0.11		mg/L	1		0.010	200.8	Total/NA
Lead	ND		mg/L	0.02		0.0010	200.8	Total/NA

Client Sample ID: KITCHEN SINK RIGHT

Lab Sample ID: 630-37707-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	NJ 1 MCL		RL	Method	Prep Type
				Limit				
Copper	0.073		mg/L	1		0.010	200.8	Total/NA
Lead	0.00082	J	mg/L	0.02		0.0010	200.8	Total/NA

Client Sample ID: KITCHEN SINK LEFT

Lab Sample ID: 630-37707-3

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	NJ 1 MCL		RL	Method	Prep Type
				Limit				
Copper	0.056		mg/L	1		0.010	200.8	Total/NA
Lead	ND		mg/L	0.02		0.0010	200.8	Total/NA

Client Sample ID: BUBBLER (BY MAINT)

Lab Sample ID: 630-37707-4

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	NJ 1 MCL		RL	Method	Prep Type
				Limit				
Copper	0.053		mg/L	1		0.010	200.8	Total/NA
Lead	ND		mg/L	0.02		0.0010	200.8	Total/NA

Client Sample ID: JANITOR CLOSET

Lab Sample ID: 630-37707-5

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	NJ 1 MCL		RL	Method	Prep Type
				Limit				
Copper	0.13		mg/L	1		0.010	200.8	Total/NA
Lead	ND		mg/L	0.02		0.0010	200.8	Total/NA

Client Sample ID: RT WATER COOLER

Lab Sample ID: 630-37707-6

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	NJ 1 MCL		RL	Method	Prep Type
				Limit				
Copper	0.059		mg/L	1		0.010	200.8	Total/NA
Lead	ND		mg/L	0.02		0.0010	200.8	Total/NA

Eurofins Environment Testing Philadelphia, LLC

Action Limit Summary

Client: MONTAGUE ELEMENTARY SCHOOL
 Project/Site: Montague Elementary - BOE Lead/Copper

Job ID: 630-37707-1

Client Sample ID: LFT WATER COOLER

Lab Sample ID: 630-37707-7

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	NJ 1 MCL		RL	Method	Prep Type
				Limit				
Copper	0.084		mg/L	1		0.010	200.8	Total/NA
Lead	0.0011		mg/L	0.02		0.0010	200.8	Total/NA

Client Sample ID: RT BUBBLER (BY ROOM 114)

Lab Sample ID: 630-37707-8

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	NJ 1 MCL		RL	Method	Prep Type
				Limit				
Copper	0.085		mg/L	1		0.010	200.8	Total/NA
Lead	ND		mg/L	0.02		0.0010	200.8	Total/NA

Client Sample ID: LEFT BUBBLER (BY ROOM 114)

Lab Sample ID: 630-37707-9

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	NJ 1 MCL		RL	Method	Prep Type
				Limit				
Copper	0.18		mg/L	1		0.010	200.8	Total/NA
Lead	ND		mg/L	0.02		0.0010	200.8	Total/NA

Client Sample ID: NURSES OFFICE

Lab Sample ID: 630-37707-10

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	NJ 1 MCL		RL	Method	Prep Type
				Limit				
Copper	0.081		mg/L	1		0.010	200.8	Total/NA
Lead	ND		mg/L	0.02		0.0010	200.8	Total/NA

Client Sample ID: ROOM 114

Lab Sample ID: 630-37707-11

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	NJ 1 MCL		RL	Method	Prep Type
				Limit				
Copper	0.10		mg/L	1		0.010	200.8	Total/NA
Lead	ND		mg/L	0.02		0.0010	200.8	Total/NA

Client Sample ID: WATER COOLER (BY 114)

Lab Sample ID: 630-37707-12

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	NJ 1 MCL		RL	Method	Prep Type
				Limit				
Copper	0.024		mg/L	1		0.010	200.8	Total/NA
Lead	ND		mg/L	0.02		0.0010	200.8	Total/NA

Accreditation/Certification and Definitions Summary

Client: MONTAGUE ELEMENTARY SCHOOL
 Project/Site: Montague Elementary - BOE Lead/Copper

Job ID: 630-37707-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
New Jersey	NELAP	PA011	06-30-23

Qualifiers

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▣	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Method Summary

Client: MONTAGUE ELEMENTARY SCHOOL
Project/Site: Montague Elementary - BOE Lead/Copper

Job ID: 630-37707-1

Method	Method Description	Protocol	Laboratory
200.8	Metals (ICP/MS)	EPA	ELLE
Non-Digest Prep	Preparation, Non-Digested Aqueous Metals	EPA	ELLE

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300



Environment Testing
America

213 Wilmer Road
Horsham, PA 19044

Phone: 215-355-3900

Client/Actd. No. Monlongue Elec Sch
Address 475 Rt 206
Monlongue PA

City/State/Zip W 06 481

Phone/Fax W 06 481

Client Contact: BOLL, DAV, Maloney

PROJECT Restored PB&C

CHAIN OF CUSTODY

Page 1 of 2

Bill to/Report to (if different)

Monlongue Elec Sch

Sampling Site Address (if different) Include State

P.O. No. _____ PWSID #: _____

Quote # _____

e-mail: _____

Collection

Date

Military Time

Matrix Code

Number of Containers

Total

H C I 2 S O 4

H V I N Z

A O A H c

U N P C T

B A R E

FIELD ID

① MAINT OFFICES

② Kitchen RT

③ Kitchen LEFT

④ bubbler (boy mirror)

⑤ JANITOR closet

⑥ RT WATER cooler

⑦ LFT WATER cooler

⑧ RT Bubbler (by room 114)

⑨ LEFT Bubbler (")

⑩ NURSES OFFICE

W

W

W

W

W

W

W

W

W

W

1

1

1

1

1

1

1

1

1

1

SAMPLED BY: (Name/Company)

William Heller

TAT: STANDARD (10 DAY)

or DUE DATE 1/1/1

Report Format: Standard NJ-RDD SRP-RDD

Standard + QC Forms EDD

Field Parameters Analyzed By:

Initials

Date/Time:

Time

DATE

RECEIVED BY

DATE

RECEIVED BY

DATE

RECEIVED BY

DATE

RECEIVED BY

DATE

RECEIVED BY

DATE

RECEIVED BY

DATE



630-37707 Chain of Custody

_____ Ascorbic/HCL Vials # _____ HCl Vials

_____ Na₂S₂O₃

_____ Na OH/Zn acetate pH _____

_____ HNO₃ pH _____

_____ H₂SO₄ pH _____

_____ NaOH pH _____

_____ Unpreserved

_____ HCl # _____ NH₄Cl # _____ MeOH

_____ # _____ DI Water

ANALYSIS REQUESTED

PB & C

PB & C

PB & C

PB & C

PB & C

PB & C

PB & C

PB & C

PB & C

PB & C

PB & C

PB & C

PB & C

MATRIX CODES

DW: DRINKING WATER

GW: GROUND WATER

WW: WASTEWATER

SO: SOIL

SL: SLUDGE

OIL: OIL

SOL: NON SOIL SOLID

MI: MISCELLANEOUS

X: OTHER

Field pH, Temp (°C),
DO, Cl₂, Cond. etc.

DELIVERY: EOC COURIER CLIENT

UPS FEDEX OTHER

Rec'd Temp: 22.1 / 22.4 °C Initials: [Signature] Location: [Signature]

COMMENTS: Rush - B.O.E. Samples

NOT FOR DEP Report

Hazardous: yes / no

7/11/2022



Environment Testing America

213 Witmer Road
Horsham, PA 19044

Phone: 215-355-3900

Client/Acct. No. Montague Elev S/L
Address 475 Strickland
Montague NJ

City/State/Zip Montague NJ

Phone/Fax 609-398-1100

Client Contact: BILL GIBBONS, MGR
e-mail: BGIBBONS@MONTAGUEELEV.COM

P.O. No. 10048

Quote # 10048

e-mail: BGIBBONS@MONTAGUEELEV.COM

CHAIN OF CUSTODY

Page 2 of 2

Bill to/Report to (if different)

Montague bldg Ed

Sampling Site Address (if different) Include State

P.O. No. 10048

Quote # 10048

e-mail: BGIBBONS@MONTAGUEELEV.COM

PROJECT DEPT OF ED PB9 CY

FIELD ID

11 Room 92 114
13 Water cooler (by 118)

Collection

Date

6/27/22 1345 W
6/27/22 1340 W

Military Time

Matrix Code

W
W

Number of Containers

Total

4
4

H H H H H
C C C C C
I I I I I
S S S S S
O O O O O
4 4 4 4 4

V V V V V
N N N N N
A A A A A
P P P P P
R R R R R
C C C C C

B B B B B
A A A A A
C C C C C
T T T T T

LAB USE ONLY:

Ascorbic/HCL Vials #

HCl Vials

Na2S2O3

Na OH/Zn acetate pH

HNO3 pH

H2SO4 pH

NaOH pH

Unpreserved

HCl #

NH4Cl #

MeOH

#

#

#

#

#

#

#

#

#

#

#

#

Lab LIMS No: 37707

MATRIX CODES
DW: DRINKING WATER
GW: GROUND WATER
WM: WASTEWATER
SO: SOIL
SL: SLUDGE
OIL: OIL
SOL: NON SOIL SOLID
MI: MISCELLANEOUS
X: OTHER

ANALYSIS REQUESTED

Field pH, Temp (°C), DO, Cl2, Cond. etc.

PB & CY
PB & CY

Field Parameters Analyzed By: Initials

Date/Time:

DELIVERY: EQC COURIER CLIENT UPS FEDEX OTHER

Custody Seal Number

Rec'd Temp: 22.1/22.4°C Initials: BS Ice Y/N Location: USA

COMMENTS: Rough BOE Sampling NOT FOR DEPS Sampling

TAT: STANDARD (10 DAY) or DUE DATE

Report Format: Standard NJ-RDD SRP-RDD Standard + QC Forms EDD

Please call for pricing and availability for rush (<10 day) turnaround and for all but standard reporting format.

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW. USE FULL LEGAL SIGNATURE, DATE AND MILITARY TIME (24 HOUR CLOCK, I.E. 8AM IS 0800, 4 1 IS 1600)

SAMPLED BY: (Name/Company) William Kelly

RELINQUISHED BY SAMPLER 1. William Kelly

RELINQUISHED BY 2. Bill Kelly

RELINQUISHED BY 3. Bill Kelly

RELINQUISHED BY 4. Bill Kelly

RELINQUISHED BY 5. Bill Kelly

DATE 6/27/22 TIME 1340

DATE 6/27/22 TIME 1444

DATE 6/27/22 TIME 1444

DATE 6/27/22 TIME 1444

DATE 6/27/22 TIME 1444

DATE 6/27/22 TIME 1444

Chain of Custody Record



Environment Testing
America



Client Information (Sub Contract Lab)		Lab PM: Horowitz, Michelle		Carrier Tracking No(s):		COC No: 630-8030.1		
Shipping/Receiving		E-Mail: Michelle.Horowitz@eurofins.com		State of Origin: New Jersey		Page: Page 1 of 2		
Eurofins Lancaster Laboratories Environm		Accreditations Required (See note): NELAP - New Jersey		Job #:		630-37707-1		
Address: 2425 New Holland Pike.		Due Date Requested: 7/11/2022		Analysis Requested		Preservation Codes:		
City: Lancaster		TAT Requested (days):				M - Hexane N - Nong O - AsNaO2 P - Na2OAS Q - Nitric Acid R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Y - Thoma Z - other (specify)		
State, Zip: PA, 17601		PO #:						
Phone: 717-656-2300(Tel)		WO #:						
Email:		Project #:						
CU/PB (Non-Compliance)		SSOW#:						
Site: MONTAGUE ELEMENTARY SCHOOL								
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Weather, Ambient, On-surface, Indoor)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Total Number of Containers	Special Instructions/Note:
MAINTENANCE OFFICE (630-37707-1)	6/27/22	13:00 Eastern	Drinking Water	Drinking Water	X	X	1	
KITCHEN SINK RIGHT (630-37707-2)	6/27/22	13:05 Eastern	Drinking Water	Drinking Water	X	X	1	
KITCHEN SINK LEFT (630-37707-3)	6/27/22	13:06 Eastern	Drinking Water	Drinking Water	X	X	1	
BUBBLER (BY MAINT) (630-37707-4)	6/27/22	13:10 Eastern	Drinking Water	Drinking Water	X	X	1	
JANITOR CLOSET (630-37707-5)	6/27/22	13:15 Eastern	Drinking Water	Drinking Water	X	X	1	
RT WATER COOLER (630-37707-6)	6/27/22	13:19 Eastern	Drinking Water	Drinking Water	X	X	1	
LFT WATER COOLER (630-37707-7)	6/27/22	13:20 Eastern	Drinking Water	Drinking Water	X	X	1	
RT BUBBLER (BY ROOM 114) (630-37707-8)	6/27/22	13:25 Eastern	Drinking Water	Drinking Water	X	X	1	
LEFT BUBBLER (BY ROOM 114) (630-37707-9)	6/27/22	13:26 Eastern	Drinking Water	Drinking Water	X	X	1	
<p>Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing Philadelphia, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analytes/methods being analyzed, the samples must be shipped back to the Eurofins Environment Testing Philadelphia, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing Philadelphia, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing Philadelphia, LLC.</p>								
Possible Hazard Identification								
Unconfirmed								
Deliverable Requested: I, II, III, IV, Other (specify)								
Primary Deliverable Rank: 1								
Empty Kit Relinquished by:								
Relinquished by: [Signature]								
Relinquished by: [Signature]								
Relinquished by: [Signature]								
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No								
Custody Seal No.: WM12								
Date: 6/27/2022 20:15								
Company: Fec								
Date/Time: 6/27/2022 22:50								
Company: [Signature]								
Date/Time: 6/27/2022 22:45								
Company: [Signature]								
Cooler Temperature(s) °C and Other Remarks: 22.4°C								

Eurofins Environment Testing Philadelphia

213 Wilmer Road
 Horsham, PA 19044-0962
 Phone: 215-355-3900 Fax: 888-785-8567

Chain of Custody Record



Environment Testing
 America

Client Information (Sub Contract Lab)		Lab PM: Horowitz, Michelle	Center Tracking No(s): 630-8030.2
Shipping/Receiving		E-Mail: Michelle.Horowitz@et.eurofins.com	Page: Page 2 of 2
Company: Eurofins Lancaster Laboratories Environm		Accreditations Requested (See note): NELAP - New Jersey	Job #: 630-37707-1
Address: 2425 New Holland Pike, City: Lancaster State, Zip: PA, 17601		Preservation Codes: M - Hexane N - None O - AsNO2 P - Na2O4S Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4.5 Y - Trizma Z - other (specify)	
Phone: 717-656-2300(Tel)		Analysis Requested	
Email:		Total Number of containers	
Project Name: CUIPB (Non-Compliance)		Field Filtered Sample (Yes or No)	
Site: MONTAGUE ELEMENTARY SCHOOL		Perform MS/MSD (Yes or No)	
Due Date Requested: 7/11/2022		200.8.SDWA/MTL, ND, Prep Cu & Pb only	
TAT Requested (days):		Special Instructions/Note:	
Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Hexane, On-site, Other)
6/27/22	13:30 Eastern	Drinking Water	
6/27/22	13:35 Eastern	Drinking Water	
6/27/22	13:40 Eastern	Drinking Water	
<p>Sample Identification - Client ID (Lab ID)</p> <p>NURSES OFFICE (630-37707-10) X</p> <p>ROOM 114 (630-37707-11) X</p> <p>WATER COOLER (BY 114) (630-37707-12) X</p>			
<p>Possible Hazard Identification</p> <p>Unconfirmed</p> <p>Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 1</p> <p>Empty Kit Relinquished by: Date: Time: Method of Shipment:</p> <p>Relinquished by: Date/Time: Company</p> <p>Relinquished by: Date/Time: Company</p> <p>Relinquished by: Date/Time: Company</p> <p>Custody Seals Intact: Custody Seal No.: WMTJ</p> <p>X Yes No</p>			
<p>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</p> <p>Return To Client Disposal By Lab Archive For Months</p> <p>Special Instructions/QC Requirements:</p> <p>Received by: Date/Time: Company</p> <p>Received by: Date/Time: Company</p> <p>Received by: Date/Time: Company</p> <p>Cooler Temperature(s) °C and Other Remarks: 22.4°C</p>			